

Product certificate
ET-0113-13



Inspecta Estonia OÜ has granted a product certificate to attest that the construction product

Isotex ceiling panel covered with paper

placed on the market by

Skano Fiberboard OÜ

Rääma tn 31, 80044 Pärnu, Pärnu maakond, ESTONIA

and produced in the factory

Skano Fiberboard OÜ

Rääma tn 31, 80044 Pärnu, Pärnu maakond, ESTONIA

has following properties

Reaction to fire of the panel	D-s1, d0 (classification according to EN 13501-1:2007+A1:2009)
Thickness of the panel	12 mm
Density of the panel	250 kg/m ³

The manufacturer has functioning FPC implemented according to the requirements of standard

EN 13171:2012.

The manufacturer is testing the samples taken at the factory in accordance with prescribed test plan. Inspecta Estonia OÜ has performed type testing, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate is first issued on **24.10.2013** and remains valid until **23.10.2019**, as long as the manufacturing conditions in the factory or the FPC itself are not modified significantly. The validity of the certificate can be checked on the Internet at www.inspecta.com/et.

German Vimbo
Head of conformity assessment department

Tallinn 13.11.2018

